

AHD 2000® / CH

Ready for use

Alcohol based hand disinfectant

For professional use

Active substance: Ethanol

CHZB 2106

BAuA: Reg-No: N-85424

COMPOSITION

100 g solution contains: 75 g ethanol, denatured (active ingredient)

Other ingredients: butan-2-one (denaturant), macrogolglycerolcocoate, fragrance, lactic acid, water

RANGE OF APPLICATION

- Hygienic and surgical hand disinfection
- Control of bacteria (incl. Tb), fungi, enveloped and non-enveloped viruses, rota virus, adeno virus and noro virus

MODE OF APPLICATION / DOSAGE

Use externally and undiluted only!

Hygienic hand disinfection

Keep hands wet by the concentrated product during the complete exposure time:

(At least 3 ml - 30 seconds)

Surgical hand disinfection

Apply at least 5 ml of AHD 2000®/CH on the hands and forearms. Keep them wet with the product during the recommended exposure time until dry with particular attention to the fingertips and around the nails.

Duration: 1 1/2 minute

Efficacy	Exposure time (at least)
Hygienic hand disinfection (EN 1500)	30 s
Surgical Hand disinfection (EN 12791)	1,5 mn
Virucidal* activity against enveloped viruses incl. HIV, HBV, HCV) (<i>accord. to the recommendations of RKI 3/2017</i>) (EN 14476)	30 s
Limited spectrum of virucidal activity PLUS (including rota-, adeno- and norovirus) (EN 14476)	30 s

WARNINGS / STORAGE

- Keep biocides out of reach of children. Keep disinfectants in a cool but frost free, well ventilated and dry place. Do not use beyond expiry date!
- Liquid and vapour are easily flammable. Causes serious eye irritation. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Keep containers tightly closed. IF IN EYES: Rinse cautiously with water for several minutes. If there are contact lenses, remove them and continue rinsing. If eye irritation persists: get medical advice.
- Do not apply on open wounds and mucous membranes! Should the product has come into contact with the mucous membranes (eyes, throat, stomach etc.) or with an open wound, rinse immediately and thoroughly with plenty of water and get medical attention.
- If AHD 2000®/CH has been taken orally: make patient drink plenty of water to dilute the product and get medical attention immediately.
- Make sure the hands are completely dry before using electric appliances. Use AHD 2000®/CH carefully on surfaces which are not compatible with alcohol.

PROPERTIES

- Comprehensive range of action
- Ethanol is efficacious against gram-negative and gram-positive bacteria, including against mycobacteria, fungi and viruses. Ethanol is also efficacious against antibiotics resisting bacteria (for ex. against MRSA).
- Reliable action even in presence of albumin, serum and blood
- Well tolerated by the skin, even when used frequently

We recommend the use of the following products after work: For the skin care and skin regeneration: **Luphenil®**, for the protection of the skin: **Majola®-H5-Crème**.

Application plan for the surgical hand disinfection

Surgical hand disinfection	Product	Mode of application
Prior to surgery: Pre-cleansing (not necessary when hands are visibly clean)	Majola® or Wasa® 2000	Wet hands and forearms, wash with Majola® or Wasa® 2000, rinse well and dry.
Disinfection	AHD 2000®/CH	Pour at least 5 ml AHD 2000® in the cupped hands. Rub on hands and forearms until dry, giving particular attention to fingertips and around the nails. Duration: 1 ½ min. each
After surgery: Washing after OP	Majola® or Wasa® 2000	Wet hands and forearms, wash with Majola® or Wasa® 2000, rinse well and dry.
Skin care and regeneration of hands and skin / protection of the hands	Luphenil® Majola®-H5-Crème	Apply a thin layer on skin/hands and rub in.

SPECIAL PRECAUTIONS

Use biocides safely. Always read the label and product information before use.

Certified and mentioned in the relevant lists.

Date of information: February 2020

STANDARD PACKAGINGS / TRANSPORT UNITS

- 12 x 700 ml bags

Article No.:

5612

Accessories:

Wall dispenser

9050

Lysoform Dr. Hans Rosemann GmbH

Kaiser-Wilhelm-Str. 133, D-12247 Berlin

Tel.: +49-30-77992-0 Telefax: +49-30-77992-219

www.lysoform.de, e-mail: kontakt@lysoform.de

Lysoform Schweizerische Gesellschaft für Antiseptie AG

Postfach 444, CH-5201 Brugg/Windisch

Telefon +41-56-441 69 81, Telefax +41-56-442 41 14

www.lysoform.ch

2020/09/02_4