

**Revision date:** Date of entry into force: 02.02.2021

Version: 11 Replaces version: 10

# Aerodesin

# This is the English translation of the German SDS (for Germany).

# Section 1: Identification of the substance/mixture and of the company/undertaking

02.02.2021

#### 1.1 Product identifier

Trade name: Aerodesin

# 1.2 Relevant identified uses of the substance or mixture and uses advised against

#### Use of the mixture: Disinfection of surfaces, objects and medical devices For professional use

# 1.3 Details of the supplier of the safety data sheet

Department providing information: Department of Science and Technology Berlin

> E-mail: Telephone:

kontakt@lysoform.de +49 30 77992-226

# Supplier (distributor):

Lysoform Dr. Hans Rosemann GmbH Kaiser-Wilhelm-Str. 133 D-12247 Berlin Tel.: +49 30 / 77992-0 Fax: +49 30 / 77992-219 www.lysoform.de

# 1.4 Emergency telephone number

Germany Munich toxicological department Klinikum rechts der Isar Ismaninger Str. 22, 81675 Muenchen Tel.: +49 89 19240 Fax: +49 89 4140-2467

# Section 2: Hazards identification

#### 2.1 Classification of the substance or mixture

# CLP classification (EG) Nr. 1272/2008:

Flam. Liq.: Kat.3 H226 Eye Irrit.: Kat.2 H319 STOT SE: Kat. 3 H336



02.02.2021 **Revision date:** Date of entry into force: 02.02.2021 Version: Replaces version: 10

11

# Aerodesin

#### 2.2 Label elements

Symbols und signal word:



#### Hazard statements:

- H226 Flammable liquid and vapour.
- H319 Causes serious eve irritation.
- H336 May cause drowsiness or dizziness.

#### **Precautionary statements:**

- P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smokina.
- P280 Wear protective gloves and eye protection.
- P305 + IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if easy P351 + to do. Continue rinsing.
- P338
- P337 + If eye irritation persists: Get medical advice.

P313

# Hazardous ingredient for labelling:

Propan-1-ol, Ethanol denatured

# 2.3 Other hazards

The ingredients (from 0.1%) do not meet the criteria for classification as PBT or vPvB and no endocrine disrupting properties are known. In exceptional situations (for example: fumigation, effect of heat or leakage of large amounts in unventilated spaces) it may form explosive air mixtures.

# Section 3: Composition/information on ingredients

#### 3.1 Substances

This product is a mixture.

#### **Mixtures** 3.2

# **Chemical characterization:**

#### Propan-1-ol

EG-No: 200-746-9 CAS-No: 71-23-8 REACh-Reg.no: 01-2119486761-29 Quantity: 30 - 35 % Flam. Liq.: Kat.2 H225 Highly flammable liquid and vapour. Eye Dam.: 1 H318 Causes serious eye damage. STOT SE: Kat. 3 H336 May cause drowsiness or dizziness.

#### Ethanol

EG-No: 200-578-6 CAS-No: 64-17-5 REACh-Reg.no: 01-2119457610-43 Quantity: 18 - 20 % Flam. Liq.: Kat.2 H225 Highly flammable liquid and vapour. Eye Irrit.: Kat.2 H319 Causes serious eye irritation.





02 02 2021 **Revision date:** Date of entry into force: 02.02.2021 Version: 11 Replaces version: 10

# Aerodesin

# Section 4: First aid measures

#### 4.1 Description of first aid measures

Immediately seek medical advice. Show the Safety Data Sheet, container or label. Inhalation:

Supply fresh air. Skin contact:

Take off soaked clothes. Rinse skin with plenty of water and seek medical attention if skin irritation persists.

#### Eve contact:

Rinse opened eye for several minutes with plenty of drinking water. If eye irritation persists seek medical advice.

# Indestion:

Do not induce vomiting. Rinse mouth with drinking water and give plenty of water to drink.

4.2 Most important symptoms and effects, both acute and delayed Acute: mucous membrane irritation Delayed: After oral absorption, interference with the central nervous system, e.g. Dizziness and narcotic effects occur. Facial and skin redness by dilation of the blood vessels.

4.3 Indication of any immediate medical attention and special treatment needed No information

# Section 5: Firefighting measures

#### 5.1 **Extinguishing media**

Water spray, carbon dioxide, dry powder, alcohol-resistant foam

5.2 Special hazards arising from the substance or mixture Alcoholic vapours are heavier than air and may spread along floors. During heating or in case of fire poisonous gas may develop: For example: carbon monoxide, carbon dioxide and explosive vapour / air mixtures

#### 5.3 Advice for firefighters

Wear self-contained breathing apparatus. Cool endangered containers or persons with water spray.

# Section 6: Accidental release measures

- 6.1 Personal precautions, protective equipment and emergency procedures Keep ignition sources away - do not smoke. Ensure adequate ventilation.
- 6.2 **Environmental precautions** Do not allow to reach sewage system / surface or ground water.
- 6.3 Methods and material for containment and cleaning up Wipe up with absorbent material (cloth, fleece, sand, universal binders). Larger quantities: Apply suction cleaning.

#### 6.4 **Reference to other sections** Safe handling (section 7), personal protective equipment (section 8) and disposal considerations (section 13)



Revision date: 02.02.2021 Date of entry into force: 02.02.2021 Version: 11 Replaces version: 10

# Aerodesin

# Section 7: Handling and storage

# 7.1 Precautions for safe handling

Application of a maximum of 50 ml/m<sup>2</sup> room surface area (TRGS 525). Keep container tightly closed. Ensure good ventilation / exhaustion at the workplace. Before using electrical equipment, wait for the alcoholic disinfectant to dry on the surfaces. Caution near alcohol-sensitive materials (for example: acrylic, paint, pickling, lacquered jewellery or watches of certain plastic).

# Notes on general hygiene measures at the workplace:

Keep away from food. Take off all contaminated clothing immediately. Avoid contact with eyes.

# 7.2 Conditions for safe storage, including any incompatibilities

Keep cool, but frost-free, well ventilated and dry. Keep out of the reach of children. Store in the original container.

#### Further information about storage conditions

Keep away from heat and direct sunlight. Keep separate from food.

# Information about fire and explosion protection

Can form explosive gas-air mixtures. Good ventilation, especially at floor level. Vapours are heavier than air. Keep ignition sources away - do not smoke. Take measures to prevent electrostatic charging.

Storage class: 3 (TRGS 510)

# 7.3 Specific end use(s)

No specific end use known.

# Section 8: Exposure controls/personal protection

# 8.1 Control parameters

Ingredient	CAS-No	Value	Base
Ethanol	64-17-5	Occupational Exposure Limits:	TRGS 900
		380 mg/m <sup>3</sup> , 200 ml/m <sup>3</sup> 4(II) DFG, Y	

# 8.2 Exposure controls

# General health and safety measures

Keep away from foodstuff, beverages and feed. Avoid contact with eyes.

# **Respiratory protection**

With good room ventilation, respiratory protection is not necessary. In exceptional circumstances a respirator with filter A (EN 14387) may be used.

#### Hand protection

Impermeable gloves

#### Penetration time of glove material

The resistance of gloves is dependent on many features (material, layer thickness, manufacturer, temperature, stress and duration of contact) and not predictable in advance. Each user has to test the resistance of the gloves for his personal use. Penetration times according to EN 374 are specified by manufacturers and provide guidance for the comparison of gloves.

#### Material recommendations

Butyl rubber

Short-term contact: Simple household gloves may be sufficient.



Version:

11 Replaces version: 10

# Aerodesin

# Skin protection

In order to prevent skin irritations in the professional field, the following is - regardless of the actual contact with disinfectants - recommended:

Fast skin penetrating care cream in between if needed.

02.02.2021

A greasy cream after washing at the end of work or before work breaks. •

# Eye / face protection

Tight-closing eye protection

# Section 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

If no information on the mixture is available, relevant information on ingredients may also be provided in the form "ingredient: indication".

Appearance	1 Sec. Sel
<ul> <li>Physical state:</li> </ul>	Liquid
- Colour:	Colourless
Odour:	Characteristic
Odour threshold:	Ethanol: 19 – 93 mg/m <sup>3</sup> (0.001 - 0.0048 Vol.%)
pH at 20 ℃:	Ca. 8

Melting point:	Ethanol: -114,5 ℃ (OECD 102)			
Initial boiling point / boiling range:Ethanol: 78 °C				
Flash point:	28 ℃ (DIN 51755)			
Evaporation rate:	Not determined			
Flammability:	Not determined			
Explosion limits in air:	Ethanol: 2.5 – 15 % (Vol.%)			
Vapour pressure:	Ethanol: 59 hPa / 20 °C			
Vapour density, relative (air = 1)	: Ethanol: 1.59			
Density at 20 °C:	Ca. 0.9 g/cm <sup>3</sup>			
Solubility in water:	Any			
Partition coefficient				
n-octanol / water:	For a mixture not applicable.			
Auto-ignition temperature:	Not determined			
Decomposition temperature:	Not applicable, no known decomposition			
Viscosity:	Not determined			
Oxidising properties:	Not determined			

#### 9.2 Other information

Further physical and chemical data have not been determined.

# Section 10: Stability and reactivity

# 10.1 Reactivity

No hazardous reactions if stored and used as described.

# 10.2 Chemical stability

No decomposition if stored and used as described.

- 10.3 Possibility of hazardous reactions No hazardous reactions if stored and used as described.
- 10.4 Conditions to avoid

See section 7



02.02.2021 **Revision date:** Date of entry into force: 02.02.2021 Version: Replaces version: 10

11

# Aerodesin

# 10.5 Incompatible materials

No incompatible materials known.

# **10.6 Hazardous decomposition products**

No decomposition if stored and used as described.

# Section 11: Toxicological information

# 11.1 Information on toxicological effects

The active compounds have been extensively studied with regard to the toxic profile. The exposure is safe if handled as prescribed. In consideration of the mixture no deviant results are expected. The mixture was therefore not examined in all categories. For toxicological effects use the information on hazardous substances.

# 11.1.1 For the mixture:

Acute toxicity LD<sub>50</sub>: Oral: 21,9 ml/kg/BW Serious eye damage/irritation OECD 405 rabbit: "slightly irritant" (analogy Aerodesin 2000) Other hazard classes: No data available

#### 11.1.2 For the substance:

#### Ethanol

Eyes: irritant (OECD- guideline 405) Skin: not irritant (OECD- guideline 404) No sensitization (OECD 429 (Skin Sensitization - Local Lymph Node Assay)

Germ cell mutagenicity	:	It is not considered to be mutagenic. OECD 471 / 475 / 476 / 473 / 471
------------------------	---	---

Teratogenicity No effects on or through the lactation :

#### Symptoms:

Shortness of breath, drowsiness, unconsciousness, drop in blood pressure, vomiting, coughing, headache, intoxication, drowsiness, mucosal irritation, dizziness, nausea Experiences with humans:

Excessive use of alcohol during pregnancy induces Foetal Alcohol Syndrome (reduced birth weight, physical and mental disorders).

# Propan-1-ol

LD<sub>50</sub> rat (oral): ~8000 mg/kg LC<sub>50</sub> rat (inhalativ): > 34 mg/l; 4h; vapor (OECD-guideline 403) LD<sub>50</sub> rabbit (dermal): 4032 mg/kg (literature) Skin: No effects No sensitization (OECD- guideline 406)



Revision date: 02.02.2021 Date of entry into force: 02.02.2021 Version: 11 Replaces version: 10

# Aerodesin

# Section 12: Ecological information

The mixture was not tested for certain effects. Information on the hazardous substance should be used.

# 12.1 Toxicity

# Ethanol

LC<sub>50</sub> in 96 h: 13000 mg/l (Oncorhynchus mykiss) OECD 203 (Fish, Acute Toxicity Test) LC<sub>50</sub> in 48 h: 12340 mg/l (Daphnia magna) **Propan-1-ol** EC<sub>50</sub> / 48 h: 3644 mg/l (Daphnie) (DIN 38412 part 11, static) LC<sub>50</sub> / 96 h: 4555 mg/l (Pimephales promelas) EC<sub>50</sub> / 3h: >1000 mg/l (bacteria) (OECD-Richtlinie 209, aquatic) NOEC / 21 d: > 100 mg/l, Daphnia magna (OECD Richtlinie 211, semistatic)

# 12.2 Persistence and degradability

# Ethanol

97% OECD 301 B (Ready Biodegradability - CO<sub>2</sub> Evolution Test) **Propan-1-ol** Easily biodegradable (OECD)

# 12.3 Bioaccumulative potential

Ethanol BCF: 3.2 mg/l Log Pow: -0.32 Propan-1-ol No bioaccumulation is to be expected.

# 12.4 Mobility in soil

Ethanol No data available Propan-1-ol The product is mobile in an aqueous environment.

# 12.5 Results of PBT and vPvB assessment

The mixture does not contain any substances that are assessed as PBT or vPvB.

# 12.6 Endocrine disrupting properties

Endocrine disrupting properties for the environment are not known.

# 12.7 Other adverse effects

The mixture is classified as water hazard class 1 (by German AwSV).



Revision date: 02.02.2021 Date of entry into force: 02.02.2021

Version: 11 Replaces version: 10

# Aerodesin

# Section 13: Disposal considerations

# 13.1 Waste treatment methods

#### Treatment of the mixture

Disposal in compliance with local regulations. Waste should not be disposed of via wastewater.

#### Treatment of contaminated packaging

Completely emptied containers can be recycled.

#### Waste code according to AVV

07 06 04 for the product 15 01 02 for the primary packaging

#### Relevant EU or other regulations

German law: KrW-/AbfG (Kreislaufwirtschafts- und Abfallgesetz)

# Section 14: Transport information

#### 14.1 UN-number: 1987

14.2 Proper shipping name

All modes of transport: ALCOHOLS, N.O.S. (1-propanol, ethanol)

#### 14.3 Transport hazard class(es)

- Land: ADR/RID and GGVS/GGVE class: 3 Tunnel restriction code: D/E
- Sea: IMDG/GGV Sea-class: 3 EMS-number: F-E, S-D
- Air: ICAO-TI / IATA-DGR-class: 3

# 14.4 Packing group

111

#### 14.5 Environmental hazards Labelling environmentally hazardous substances ADR/RID / IMDG-Code / ICAO-TI / IATA-DGR: No IMDG-Code: Marine Pollutant: No

- 14.6 Special precautions for user (transport company) No
- **14.7 Maritime transport in bulk according to IMO instruments** No transport in bulk



Revision date: 02.02.2021 Date of entry into force: 02.02.2021

Version: 11 Replaces version: 10

# Aerodesin

# Section 15: Regulatory information

# 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

#### **EU-regulations:**

1907/2006 REACh / 1272/2008 CLP GHS / 528/2012 Biocidal products / 98/24/EG Risks related to chemical substances / 648/2004 Detergents

#### German regulations:

Chemikaliengesetz ChemG / Gefahrstoffverordnung GefStoffV / TRGS und Bekanntmachungen / Betriebssicherheitsverordnung BetrSichV / Jugendarbeitsschutzgesetz / Mutterschutzgesetz / Guidelines Berufsgenossenschaften

#### Other information:

Biocide: BAuA Reg.-No: N-12735, N-12737 Medical device class IIa CE 0482

# 15.2 Chemical safety assessment

For this mixture no chemical safety assessment has been carried out.

# Section 16: Other information

#### Changes since the publication of the previous version

Version 10: First English version / Version number of the SDS is similar to the German SDS Version 11: Adaptation to the REACh regulation, no safety-relevant changes

#### Literature and data sources

TRGS / Gestis / professional associations / MSDS of ingredients

# Methods in accordance with Article 9 of Regulation (EC) no. 1272/2008 used to evaluate the information for the purpose of classification.

Classification was based on tests, the components and the physical and chemical properties.

The data contained in this Safety Data Sheet are based on our current knowledge and experience and describe the product with regard to the safety requirements. The information should not be regarded in any way as a description of the nature of the goods (product specification). Any agreed property or the suitability of the product for a specific purpose can not be derived from our information in the Safety Data Sheet. We will advise you whether, the preparation is suitable for a defined purpose. Any proprietary rights and existing laws and regulations must be observed by the recipient of our product (responsibility of the recipient).