

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 1 of 13

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Lysoformin spezial

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Wipe disinfection and cleaning of surfaces and medical devices. For professional use.

1.3. Details of the supplier of the safety data sheet

Company name: Lysoform Dr. Hans Rosemann GmbH

Street: Kaiser-Wilhelm-Straße 133

Place: D-12247 Berlin
Telephone: +49 (0)30 77992-0

Telephone: +49 (0)30 77992-0 Telefax: +49 (0)30 77992-219
Contact person: Wissenschaftlich-Technische Telephone: +49 (0)30 / 77992-216

Abteilung Berlin

e-mail: kontakt@lysoform.de
Internet: www.lysoform.de

1.4. Emergency telephone +49 (0)89 19240 (Giftnotruf München Toxikologische Abteilung)

number:

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Regulation (EC) No. 1272/2008

Hazard categories:

Flammable liquid: Flam. Liq. 3 Skin corrosion/irritation: Skin Corr. 1

Serious eye damage/eye irritation: Eye Irrit. 2 Respiratory or skin sensitisation: Skin Sens. 1

Hazardous to the aquatic environment: Aquatic Chronic 1

Hazard Statements:

Flammable liquid and vapour.

Causes severe skin burns and eye damage.

Causes serious eye irritation.

May cause an allergic skin reaction.

Very toxic to aquatic life with long lasting effects.

2.2. Label elements

Regulation (EC) No. 1272/2008

Hazard components for labelling

Isotridecanol, ethoxylated

didecyldimethylammonium chloride

polyhexamethylene biguinide hydrochloride

Signal word: Danger

Pictograms:









Print date: 29.06.2021

Hazard statements

H226 Flammable liquid and vapour.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation.



according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 2 of 13

H317 May cause an allergic skin reaction.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No

smoking.

P280 Wear protective gloves/protective clothing/eye protection/face protection/hearing

protection.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if

present and easy to do. Continue rinsing.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water

or shower.

P273 Avoid release to the environment.

P310 In case of accident: Call a doctor immediately.

2.3. Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Hazardous components

CAS No	Chemical name			Quantity
	EC No	Index No	REACH No	
	GHS Classification			
69011-36-5	Isotridecanol, ethoxylated			5 - < 10 %
	931-138-8			
	Acute Tox. 4, Eye Dam. 1; H302 H3	318		
7173-51-5	didecyldimethylammonium chloride			5 - < 10 %
	230-525-2	612-131-00-6		
	Acute Tox. 3, Skin Corr. 1B, Aquati	c Acute 1, Aquatic Chronic 2; H301 F	1314 H400 H411	
67-63-0	propan-2-ol; isopropanol			1 - < 5 %
	200-661-7	603-117-00-0	01-2119457558-25	
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336		
1802181-67-4	polyhexamethylene biguinide hydro	ochloride		1 - < 5 %
	Acute Tox. 2, Acute Tox. 4, Eye Da Chronic 1; H330 H302 H318 H317	m. 1, Skin Sens. 1B, STOT SE 3, Aq H335 H400 H410	uatic Acute 1, Aquatic	
78-93-3	butanone; ethyl methyl ketone			< 0.1 %
	201-159-0	606-002-00-3		
	Flam. Liq. 2, Eye Irrit. 2, STOT SE	3; H225 H319 H336 EUH066		
	·	·		

Full text of H and EUH statements: see section 16.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 3 of 13

Specific Conc. Limits, M-factors and ATE

CAS No	EC No	Chemical name	Quantity
	Specific Conc. L	imits, M-factors and ATE	
69011-36-5	931-138-8	Isotridecanol, ethoxylated	5 - < 10 %
	oral: ATE = 500) mg/kg	
7173-51-5	230-525-2	didecyldimethylammonium chloride	5 - < 10 %
	dermal: LD50 =	: 3342 mg/kg; oral: LD50 = 238 mg/kg M akut; H400: M=10	
67-63-0	200-661-7	propan-2-ol; isopropanol	1 - < 5 %
	inhalation: LC5	0 = 37.5 mg/l (vapours); dermal: LD50 = 13900 mg/kg; oral: LD50 = 5840 mg/kg	
1802181-67-4		polyhexamethylene biguinide hydrochloride	1 - < 5 %
	inhalation: LC5 LC50 = ppm (g M chron.; H410	gases); oral: LD50 = >400 mg/kg M akut; H400: M=10	

Labelling for contents according to Regulation (EC) No 648/2004

5 % - < 15 % non-ionic surfactants, disinfectants, perfumes (Hydroxycitronellal, Butylphenyl methylpropional, Hexyl cinnamal, Linalool).

SECTION 4: First aid measures

4.1. Description of first aid measures

General information

Call a physician immediately. If medical advice is needed, have product container or label at hand.

After inhalation

Provide fresh air.

After contact with skin

Take off immediately all contaminated clothing and wash it before reuse. Wash with plenty of water.

After contact with eyes

In case of contact with eyes flush immediately with plenty of flowing water for 10 to 15 minutes holding eyelids apart and consult an ophthalmologist.

After ingestion

Rinse mouth immediately and drink plenty of water. Call emergency telephone number.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

none

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media

Water spray jet, Carbon dioxide (CO2), alcohol resistant foam, Extinguishing powder

5.2. Special hazards arising from the substance or mixture

In case of fire: Nitrogen oxides (NOx) Carbon monoxide Carbon dioxide (CO2)

5.3. Advice for firefighters

Wear a self-contained breathing apparatus and chemical protective clothing. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 4 of 13

6.1. Personal precautions, protective equipment and emergency procedures

General measures

Remove all sources of ignition. Provide adequate ventilation. Do not breathe gas/fumes/vapour/spray. Avoid contact with skin, eyes and clothes. Use personal protection equipment.

6.2. Environmental precautions

Do not allow uncontrolled discharge of product into the environment.

6.3. Methods and material for containment and cleaning up

Other information

Absorb with liquid-binding material (sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Advice on safe handling

Provide adequate ventilation. To prepare a dilution, always first fill in the water and then add the product.

Advice on protection against fire and explosion

Keep away from sources of ignition - No smoking. Take precautionary measures against static discharges. Vapours can form explosive mixtures with air.

Further information on handling

Wash hands before breaks and after work. Keep away from food, drink and animal feedingstuffs. Remove contaminated, saturated clothing immediately. Avoid contact with eyes.

7.2. Conditions for safe storage, including any incompatibilities

Requirements for storage rooms and vessels

Keep only in the original container in a cool, well-ventilated place. Keep container dry. Avoid: Frost. Keep out of the reach of children.

Hints on joint storage

Do not store together with: Oxidising agent. Pyrophoric or self-heating substances.

Keep away from food, drink and animal feedingstuffs.

7.3. Specific end use(s)

none

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Exposure limits (EH40)

CAS No	Substance	ppm	mg/m³	fibres/ml	Category	Origin
78-93-3	Butan-2-one (methyl ethyl ketone)	200	600		TWA (8 h)	WEL
		300	899		STEL (15 min)	WEL
64-17-5	Ethanol	1000	1920		TWA (8 h)	WEL
67-63-0	Propan-2-ol	400	999		TWA (8 h)	WEL
		500	1250		STEL (15 min)	WEL



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 5 of 13

Biological Monitoring Guidance Values (EH40)

CAS No	Substance	Parameter	Value	Test material	Sampling time
78-93-3	Butan-2-one	butan-2-one	70 µmol/L	urine	Post shift

DNEL/DMEL values

CAS No	Substance			
DNEL type		Exposure route	Effect	Value
67-63-0	propan-2-ol; isopropanol			
Worker DNEL,	long-term	inhalation	systemic	500 mg/m³
Worker DNEL,	long-term	dermal	systemic	888 mg/kg bw/day
Consumer DNE	EL, long-term	inhalation	systemic	89 mg/m³
Consumer DNEL, long-term		dermal	systemic	319 mg/kg bw/day
Consumer DNE	EL, long-term	oral	systemic	26 mg/kg bw/day
64-17-5	ethanol, ethyl alcohol			
Worker DNEL,	long-term	dermal	systemic	343 mg/kg bw/day
Worker DNEL,	long-term	inhalation	systemic	950 mg/m³
Worker DNEL,	acute	inhalation	local	1900 mg/m³
Consumer DNE	EL, acute	inhalation	local	950 mg/m³
Consumer DNEL, long-term		inhalation	systemic	114 mg/m³
Consumer DNEL, long-term		oral	systemic	87 mg/kg bw/day
Consumer DNE	EL, long-term	dermal	systemic	206 mg/kg bw/day

PNEC values

CAS No	Substance	
Environment	al compartment	Value
67-63-0	propan-2-ol; isopropanol	
Freshwater		140.9 mg/l
Marine wate	r	140.9 mg/l
Freshwater	sediment	552 mg/l
Marine sedir	nent	552 mg/l
Micro-organisms in sewage treatment plants (STP)		2251 mg/l
Soil		28 mg/l
64-17-5	ethanol, ethyl alcohol	
Freshwater		0.96 mg/l
Marine water		0.79 mg/kg
Freshwater sediment		3.6 mg/kg
Micro-organi	sms in sewage treatment plants (STP)	580 mg/l
Soil		0.63 mg/kg

8.2. Exposure controls



according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 6 of 13







Protective and hygiene measures

Remove contaminated, saturated clothing immediately. Wash hands and face before breaks and after work and take a shower if necessary. When using do not eat or drink.

Eye/face protection

Tightly sealed safety glasses.

Hand protection

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. Chemical protective gloves must specifically chosen for each workplace depending on the concentration and amount of hazardous substances, temperature and contact time.

Recommendation:

NBR (Nitrile rubber), Butyl caoutchouc (butyl rubber)

For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

To prevent skin irritation in the professional field - regardless of actual contact with disinfectants - it is recommended to use: • a fast absorbing skin care cream in between if necessary. • a greasy cream after washing at the end of work or before breaks.

Skin protection

Wear suitable protective clothing.

Respiratory protection

Not required with good ventilation.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Physical state: liquid

Colour: colourless - light yellow

Odour: characteristic

Test method

Print date: 29.06.2021

pH-Value (at 20 °C): ca. 8 (50 g/l H2O)

Changes in the physical state

Melting point: not determined
Boiling point or initial boiling point and not determined

boiling range:

Flash point: 50 °C DIN 51755

Flammability

Solid/liquid: not applicable
Gas: not applicable
Lower explosion limits: not determined
Upper explosion limits: not determined

Self-ignition temperature

Solid: not applicable
Gas: not applicable

Decomposition temperature: not determined



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 7 of 13

Oxidizing properties

Not oxidising.

Vapour pressure: not determined

Density (at 20 °C): ca. 1.0 g/cm³

Water solubility: very soluble

Solubility in other solvents

not determined

Partition coefficient n-octanol/water: not determined
Relative vapour density: not determined
Evaporation rate: not determined

9.2. Other information

Solid content: not determined

SECTION 10: Stability and reactivity

10.1. Reactivity

Flammable. No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is chemically stable under recommended conditions of storage, use and temperature.

10.3. Possibility of hazardous reactions

Flammable. No hazardous reaction when handled and stored according to provisions.

10.4. Conditions to avoid

Safe handling: see section 7

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition products

The product is chemically stable under recommended conditions of storage, use and temperature.

SECTION 11: Toxicological information

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008

Acute toxicity

Based on available data, the classification criteria are not met.

ATEmix tested

Dose Species Source

LD50, oral 4000 mg/kg Rat LD50, dermal > 8000 mg/kg Rat

ATEmix calculated

ATE (inhalation vapour) 17.24 mg/l



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 8 of 13

CAS No	Chemical name					
	Exposure route	Dose		Species	Source	Method
69011-36-5	Isotridecanol, ethoxylate	d				
	oral	ATE mg/kg	500			
7173-51-5	didecyldimethylammoniu	m chloride				
	oral	LD50 mg/kg	238	Rat		OECD 410
	dermal	LD50 mg/kg	3342	Rabbit		
67-63-0	propan-2-ol; isopropanol					
	oral	LD50 mg/kg	5840	Rat		
	dermal	LD50 mg/kg	13900	Rabbit		
	inhalation (4 h) vapour	LC50	37.5 mg/l	Rat		OECD 403
1802181-67- 4	polyhexamethylene bigui	inide hydroch	nloride			
	oral	LD50 mg/kg	>400	Rat		OECD 423
	inhalation (4 h) vapour	LC50	mg/l			
	inhalation (4 h) aerosol	LC50 mg/l	0.322	Rat		OECD 403
	inhalation (4 h) gas	LC50	ppm			

Irritation and corrosivity

Causes severe skin burns and eye damage.

Causes serious eye irritation.

Didecyldimethylammoniumchloride:

In case of skin contact: OECD 404 Rabbit 3 min: Irritant

Polyhexamethylenbiguanid-HCl

In case of skin contact: OECD 404 Rabbit - slightly irritant Risk of serious damage to eyes. OECD 405 Rabbit

Sensitising effects

May cause an allergic skin reaction. (polyhexamethylene biguinide hydrochloride)

Didecyldimethylammoniumchloride:

Buehler Test US-EPA Guinea pig: negative

Carcinogenic/mutagenic/toxic effects for reproduction

Based on available data, the classification criteria are not met.

Didecyldimethylammoniumchloride:

negative OECD 471 (Ames test) , Salmonella typhimurium

negative Gene mutation, CHO-cells

negative Chromosomal aberrations Test, CHO-cells

negative Chromosomal aberrations Test oral Rat OECD 475

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 9 of 13

SECTION 12: Ecological information

12.1. Toxicity

Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.

Oncorhynchus mykiss (Rainbow trout) (OECD 203) / 96 h: LC50: 10 ppm; LC0: 4 ppm

Daphnia (based on OECD 202 Part I) / 48 h: LC50: 1.1 ppm

Green algae (based on OECD 201) / 72 h: EC50 24 h = 100 ppm; EC50 48 h = 45 ppm; EC50 72 h = 8.3 ppm

CAS No	Chemical name					
	Aquatic toxicity	Dose	[h] [d]	Species	Source	Method
69011-36-5	Isotridecanol, ethoxylated					
	Acute fish toxicity	LC50 1 - 1 mg/l	10 96 h	Cyprinus carpio (Common Carp)		
	Acute algae toxicity	ErC50 1 - 1 mg/l	10 72 h	Desmodesmus subspicatus		
	Acute crustacea toxicity	EC50 1 - 1 mg/l	10 48 h			
	Acute bacteria toxicity	(140 mg/l)		Activated sludge		
7173-51-5	didecyldimethylammoniur	n chloride				
	Acute fish toxicity	LC50 0.19 mg/l	96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 0.02 mg/l	26 96 h	Pseudokirchneriella subcapitata		OECD 201
	Acute crustacea toxicity	EC50 0.06 mg/l	62 48 h	Daphnia magna (Big water flea)		OECD 211
	Fish toxicity	NOEC 0.03 mg/l	32 34 d	Danio rerio		OECD 210
	Crustacea toxicity	NOEC 0.01 mg/l	6 21 d	Daphnia magna (Big water flea)		OECD 211
	Acute bacteria toxicity	(11 mg/l)	3 h	Activated sludge		OECD 209
67-63-0	propan-2-ol; isopropanol					
	Acute fish toxicity	LC50 9640 mg/l	0 96 h	Pimephales promelas (fathead minnow)		
	Acute algae toxicity	ErC50 >100 mg/l	0 72 h	Selenastrum capricornutum		
	Acute crustacea toxicity	EC50 9714 mg/l	48 h	Daphnia magna (Big water flea)		
	Acute bacteria toxicity	(> 100 mg/l)				
1802181-67- 4	polyhexamethylene biguir	nide hydrochloride				
	Acute fish toxicity	LC50 0.32 mg/l	21 96 h	Oncorhynchus mykiss (Rainbow trout)		
	Acute algae toxicity	ErC50 0.02 mg/l	?06 72 h	Pseudokirchneriella subcapitata		
	Acute crustacea toxicity	EC50 0.15 mg/l	66 48 h	Daphnia magna (Big water flea)		
	Fish toxicity	NOEC 0.00 mg/l)498 28 d	Pimephales promelas (fathead minnow)		
	Crustacea toxicity	NOEC 0.00 mg/l)544 21 d	Daphnia magna (Big water flea)		

12.2. Persistence and degradability

The product has not been tested.



according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 10 of 13

CAS No	Chemical name					
	Method	Value	d	Source		
	Evaluation	-				
69011-36-5	Isotridecanol, ethoxylated					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	>60%	28			
	Readily biodegradable (according to OECD criteria).					
7173-51-5	didecyldimethylammonium chloride					
	OECD 301B/ ISO 9439/ EEC 92/69/V, C.4-C	72%	28			
	Readily biodegradable (according to OECD criteria).	•	-			
	OECD 301A/ ISO 7827/ EEC 92/69/V, C.4-A	93.3	28			
	OECD 303/ EEC 92/69/V, C10	91%	70			
67-63-0	propan-2-ol; isopropanol					
		53%	5			
	Readily biodegradable.					

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

CAS No	Chemical name	Log Pow
67-63-0	propan-2-ol; isopropanol	0.05

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Disposal recommendations

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation.

List of Wastes Code - residues/unused products

070601 WASTES FROM ORGANIC CHEMICAL PROCESSES; wastes from the MFSU of fats, grease,

soaps, detergents, disinfectants and cosmetics; aqueous washing liquids and mother liquors;

hazardous waste

List of Wastes Code - contaminated packaging

150102 WASTE PACKAGING; ABSORBENTS, WIPING CLOTHS, FILTER MATERIALS AND

PROTECTIVE CLOTHING NOT OTHERWISE SPECIFIED; packaging (including separately

collected municipal packaging waste); plastic packaging

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information

Land transport (ADR/RID)



according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 11 of 13

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (didecyldimethylammonium

chloride, propan-2-ol; isopropyl alcohol; isopropanol)

14.3. Transport hazard class(es):3 (8)14.4. Packing group:IIIHazard label:3+8



Classification code: FC
Special Provisions: 274
Limited quantity: 5 L
Excepted quantity: E1
Transport category: 3
Hazard No: 38
Tunnel restriction code: D/E

Marine transport (IMDG)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (didecyldimethylammonium

chloride, isopropanol)

 14.3. Transport hazard class(es):
 3 (8)

 14.4. Packing group:
 III

 Hazard label:
 3+8



Marine pollutant:

Special Provisions:

Limited quantity:

Excepted quantity:

EmS:

No
223, 274

5 L

E1

F-E, S-C

Air transport (ICAO-TI/IATA-DGR)

14.1. UN number: UN 2924

14.2. UN proper shipping name: FLAMMABLE LIQUID, CORROSIVE, N.O.S. (didecyldimethylammonium

chloride, isopropanol)

14.3. Transport hazard class(es):3 (8)14.4. Packing group:IIIHazard label:3+8



Special Provisions:

Limited quantity Passenger:

Passenger LQ:

Excepted quantity:

A3 A803

1 L

Y342

Excepted quantity:

E1

IATA-packing instructions - Passenger: 354
IATA-max. quantity - Passenger: 5 L
IATA-packing instructions - Cargo: 365
IATA-max. quantity - Cargo: 60 L



according to Regulation (EC) No 1907/2006

Lysoformin spezial

Revision date: 24.06.2021 Product code: LYS650 Page 12 of 13

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: Yes



14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulatory information

Restrictions on use (REACH, annex XVII):

Entry 3

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile

work protection guideline' (94/33/EC). Observe employment restrictions under the Maternity Protection Directive (92/85/EEC) for expectant or

nursing mothers.

Water hazard class (D): 3 - highly hazardous to water

Skin resorption/Sensitization: Causes allergic hypersensitivity reactions.

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information

Changes

This data sheet contains changes from the previous version in section(s): 1,2,11,12,14.

Abbreviations and acronyms

ADR: Accord européen sur le transport des marchandises dangereuses par Route

(European Agreement concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonized System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service LC50: Lethal concentration, 50%

LD50: Lethal dose, 50%

Relevant H and EUH statements (number and full text)

H225	Highly flammable liquid and vapour.
H226	Flammable liquid and vapour.
H301	Toxic if swallowed.
H302	Harmful if swallowed.
H314	Causes severe skin burns and eye damage.
H317	May cause an allergic skin reaction.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.



Safety Data Sheet

according to Regulation (EC) No 1907/2006

	Lysoformin spezial	
Revision date: 24.06.2021	Product code: LYS650	Page 13 of 13

H330	Fatal if inhaled.
H335	May cause respiratory irritation.
H336	May cause drowsiness or dizziness.
H400	Very toxic to aquatic life

H400 Very toxic to aquatic life.

H410 Very toxic to aquatic life with long lasting effects.H411 Toxic to aquatic life with long lasting effects.

EUH066 Repeated exposure may cause skin dryness or cracking.

Further Information

The data contained in this safety data sheet is based on our current knowledge and experience and describe the product with regard to safety requirements. The information should not be regarded in any way as a description of the product's properties (product specification). Agreed characteristics nor the suitability of the product for a specific purpose can not be derived from the information in the SDS. We will advise you as to whether and under what circumstances, the preparation is suitable for a defined purpose. Proprietary rights and existing laws and regulations must be respected by the receiver of our product.

(The data for the hazardous ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)